

Bulletin Number: **B15/025**  
Implementation Date: **27/08/2015**

## **TECHNICAL BULLETIN**

### **5<sup>th</sup> CATEGORY – 3.6.3 APPROVED TYRE LIST GROUP N & S**

#### **REFERENCE:**

<http://docs.cams.com.au/Manual/Historic/HI10-Approved-Tyre-List-2015-1.pdf>

#### **RATIONALE:**

Changes to the Approved Tyre List – Groups Na, Nb, Nc, Sa, Sb and Sc to include the Toyo Proxes R888R.

#### **ACTION:**

To amend the Approved Tyre List for Group N and S as follows:

...

APPROVED TYRE LIST – GROUPS Nb, Nc, Sa, Sb and Sc				
Make	Model	Size imperial	Size metric	Approved Rim Size in"
American Racer	M28	18.0/6.0-10	165/70x10	5.0-6.0
	Pass Perf DOT		215/60D13	6.0-7.0
	Pass Perf DOT		235/60D13	7.0-8.0
	KK-704TM	G60-15	245/60-15	7.0-8.0
	KK-704TM	L60-15	275/60-15	7.0-8.0
	Pass Perf DOT		265/60D15	7.0-9.0
	Pass Perf DOT		285/60D15	8.0-10.0
	Pass Perf DOT		305/60D15	10.0
Avon	CR6ZZ		165/70R10	5.0-6.0
			215/60R15	6.0-7.5
			225/60R15	6.0-8.0

			246/60R15	7.0-11.0
	CR28		185/60R13	5.0-6.5
			205/60R13	5.5-7.5
			185/60R14	5.0-6.5
	ACB9	5.0/22.0-13	185/60-13	4.5-6.5
		6.5/23.0-13	215/60-13	5.5-6.5
Bridgestone	RE11S		185/60R14	5.0-6.5
			195/60R14	5.5-7.0
			205/60R15	6.5-7.5
	RE55S		185/60R14	5.0-6.5
			195/60R14	5.5-7.0
			205/60R15	5.5-7.5
Dunlop	D01J		205/60R15	5.5-7.5
	DZ03G		175/60R13	5.0-6.0
			185/60R14	5.0-6.5
			195/60R14	5.5-7.0
	D84J		185/60R13	5.0-6.0
			185/60R14	5.0-6.5
			195/60R14	5.5-7.0
			205/60R15	5.5-7.5
	D94J		165/70R10	3.0-5.0
	CR65	450M13	175-13	4.0-7.5
		525M13	205-13	5.0-8.0
		550M13	245-13	6.0-9.0
		550M14	225-14	5.5-8.0
		500M15	195-15	5.5-8.0
		550M15	235-15	6.0-8.5
		600M15	265-15	7.0-9.0
		650M15	285-15	7.5-10.0
	CR82	135/545-13	185-13	5.0-6.0
		165/580-13	215-13	5.0-6.0
		120/590-15	165-15	4.0-5.5
		135/620-15	185-15	4.5-6.0
	CR311	155/530R13	165-13	5.0-7.0
	D93J			
	CR48 (R6)			
	DZ02G			
Goodyear	G-12A	5.00-15		5.0
Blue Streak	G-7	5.50-15		6.0
	G-7	6.00-15		8.0
	G-7	7.00-15		9.0
	G-7	8.00-15		10.0

	G-15A	26.5x8.0-15		8.0
	G-15A	26.5x10.0-15		10.0
Hoosier	44286	25.5x8.5-15		8.0-10.0
	44306	26.5x9.5-15		8.0-10.0
	44651		225/60R15	7.0-8.0
Sports Car DOT Bias	45100		185/60D13	5.0-7.0
	45110		185/60D13	5.5-7.0
	45120		205/60D14	6.0-8.0
	45180		225/60D15	7.0-9.0
	45190		245/60D15	7.0-9.5
	45200		275/60D15	8.5-10.0
Vintage & Hist. TD	44391		165/70-10	5.0-6.0
(stiff sidewall)	45105	A70-13		5.0-7.0
Speedster	46015		205/60R15	5.5-7.5
	46105		205/60R13	6.0-7.5
Kumho	V70A		175/60HR13	5.0-6.0
	V700		205/60R13	5.5-7.5
			185/60R14	5.0-6.5
	C03			
Michelin	TB15	16/53-13	175/60R13	5.0-6.0
		15/60-15	170/65R15	5.0-6.0
Silverstone	FTZRR	(T5 comp. only)	205/60R13	5.5-7.0
Toyo	Proxes RA1		205/60R13	5.5-7.5
	Proxes R888		185/60R13	5.0-6.5
			205/60R13	5.5-7.5
			185/60R14	5.0-6.5
	<b>Proxes R888R</b>		<b><u>185/60R13</u></b>	<b><u>5.0-6.5</u></b>
			<b><u>205/60R13</u></b>	<b><u>5.5-7.5</u></b>
			<b><u>185/60R14</u></b>	<b><u>5.0-6.5</u></b>
Yokohama	A021R		185/60R13	5.0-6.5
			205/60R13	5.5-7.5
	A032R		165/70R10	5.0-6.0
			225/60R15	6.0-8.0
	A048		175/60R13	5.0-6.0
			185/60R13	5.0-6.5
			205/60R13	5.5-7.5
			185/60R14	5.0-6.5
			195/60R14	5.5-7.0

			205/60R15	5.5-7.5
	A050		175/60R13	5.0-6.0
			185/60R14	5.5-6.5
			195/60R14	5.5-7.0

**END**